

ORGANIC FOOD – PRO ET CONTRA¹

UDK: 663/664:631.147
DOI: 10.5937/snp12-2-40291

Nebojša Ristić
Zlatiborski Eko Agrar, Čajetina, Serbia

Sead Malićević²
College of Sports and Health, Belgrade, Serbia

Abstract: Based on all available information, there has been a great expansion of organic food production and sale, both globally and in Serbia. It is estimated that this expansion results from buyers' belief that organic food is tastier and/or healthier, more nutritious, that it contains less pesticides, preservatives, additives, that it does not contain any genetically modified components, etc. However, which of these beliefs are facts, and which are misconceptions? In the absence of studies dealing with the issue of organic food in Serbia, we rely on the results of studies conducted in the world, primarily in countries where the production and sale of organic food has a decades-long tradition. Most studies covered by this review refer to the presence of pesticides in organic food and they all unequivocally established that organic food contains significantly lower amounts of pesticides than conventionally produced food. In terms of other aspects of health safety, it was found that organic food has significantly lower values or absence of antibiotics, growth hormones and factors, genetically modified components as well as artificial preservatives and additives. Some of the research that was conducted to confirm the claim that organic food is more nutritious than conventionally produced food, established that some foods have more vitamins, minerals and antioxidants. However, numerous studies did not confirm these conclusions, but rather found that there is no significant difference between the content of the mentioned ingredients in organic and conventional food. Which of the above is true will be confirmed by some future, fully objective studies.

Keywords: *organic food, conventional food, pesticides, additives*

INTRODUCTION

The term "organic food" first appeared in 1940, in the book "*Look to the Land*" written by Walter James and referred to the "farm that exists as an organism", an ecologically balanced, holistic system that stands in contrast to the "chemical farm" which cannot survive without human influence (Paull, 2006). The term "organic" as used in the biomedical sciences refers to molecules containing carbon and has nothing to do with organic food. An adequate, generally accepted term related to food obtained in the usual production processes is not "inorganic food" (because the food is not inorganic in the bio-medical sense), but "conventional food".

Organic food is produced in accordance with standards prescribed by relevant, authorised bodies or organizations. The USA (the National Organic Program), Australia (the Australian Organic Standards and the NASAA Organic Standard), the EU (the EU-Eco-regulation), Japan (the JAS Standards), India (National Program for Organic

¹ Paper received: 22 Sep. 2022, edited: 23 Sep. 2022, accepted for publication: 26 Sep. 2022.

² ✉ sead.malicevic@vss.edu.rs

Production) etc. have the longest tradition in the standardization of organic production and distribution, as well as the most developed system of certification. According to most standards for production and trade, organic food is produced with minimal use of artificial chemical substances, under clearly defined environmental conditions, and strictly specified storage and transport conditions. In addition, more and more countries are accepting the norm that nanotechnology should not be used in the production of organic food (Paull & Lyons, 2008). As a result of applying these standards, organic food does not contain (or contains very small amounts of) pesticides, artificial preservatives, additives, heavy metals, antibiotics, hormones, genetically modified organisms and other potentially harmful substances.

According to information from the market, the production and sale of organic food is on the rise, both globally and in Serbia. In April 2009, organic food accounted for 1-2% of total food sales in the world, while in 2021 its sales reached 5.7% (Danner et al., 2022). The total sales of organic food in the world in 2002 amounted to around EUR 23 billion, and in 2016 it exceeded EUR 106 billion. Today, organic production is practiced in 190 countries, on a total of 75 million hectares cultivated by about 3.3 million farmers (Willer et al., 2022).

The UK Soil Association, the biggest organization for organic standards in Great Britain, underlines that the rise in the production and sale of organic food is a consequence of buyers' increased concern regarding the use of pesticides and other artificial substances, but also the raised awareness of how and in which conditions the food is produced, as well as for how long and in which conditions it was transported to buyers. In this regard, there is a prejudice that organic food is tastier and/or healthier, more nutritious, that it was produced in more environmentally friendly conditions, that it did not travel long from the place of production, that it does not contain artificial additives, preservatives, pesticides, genetically modified components, etc...

What of all this is fact and what is misconception?

Organic food and pesticides

First of all, not only natural substances are used in the production of organic food, but it is also allowed to use some artificially obtained chemical substances. Moreover, sometimes it is wrong to insist on natural agents. For example, some producers use natural fertilizers in the supplementation process that contain *E. coli*, which can cause health problems and can only be destroyed by prolonged exposure to high temperatures. There are plant-based pesticides, natural substances that protect plants from pest attacks. However, even those pesticides (*Bacillus thuringiensis*, pyrethrum, rotenone and similar substances) can be dangerous to human health, so in the USA they are completely prohibited in the production of organic food (Uddin & Bari, 2019).

On the other hand, synthetic pesticides are substances that without any doubt cause health problems in humans, either in workers on the farms where the pesticides are applied, or as substances whose residues we ingest in small quantities with food and water, or as substances that remain in the soil, contaminating food and water. Hundreds of studies have shown that exposure to pesticides can cause numerous health ailments and problems, such as abdominal pain, dizziness, migraine headaches, nausea and vomiting, as well as skin and eye problems (Ali et al., 2021; Ecobichon, 1991; Rani et al., 2021; Yura et al., 2021). However, pesticides can also cause more severe health problems, such as respiratory problems (Hughes, 2022; McCauley et al., 2006), cancer (Alavanja et al., 2004; De Graaf et al., 2022; Matich et al., 2021; Panis et al., 2022; Sandoval-Insausti et al., 2021; Van Maele-Fabry & Willems, 2003), depression (Kamel et al., 2003; Wu et al., n.d.), neurological problems (Arab & Mostafalou, 2021; Keifer & Firestone, 2007; Richardson et al., 2019), miscarriage and congenital anomalies (Engel et al., 2000; Fucic et al., 2021; Li et al., 2022; Schwartz et al., 1986) etc.

A US Department of Agriculture 2020 study which conducted testing of fresh and processed fruits and vegetables from organic and conventional production for the presence of about 400 different pesticides, showed that 30% of the samples had no detectable pesticides, while only 0.49% contained pesticides in an amount higher than prescribed. Out of a total of 9600 samples, 706 of them were from organic production. In the organic sample, around 30% of food did not contain detectable pesticides, and none of the samples contained pesticides in an amount higher than prescribed. For example, out of 19 examined kinds and products of fruits and vegetables, potato contained the highest values of pesticides, but organic potato contained virtually no pesticides (USDA, 2020). In addition to this one, many other studies confirm that there are no pesticides or their products in 25-30% of organic food (Crinnion, 2010; Schleiffer & Speiser, 2022).

Conventionally produced apples, unlike organically produced ones, are treated up to 16 times during the season with about 35 pesticides (Reganold, 2006). However, it must be underlined that conventional food, which

contains many times greater amounts of pesticides, still does not contain toxic amounts, which is taken into account during regular and extraordinary physical, chemical and health controls.

Additives and genetically modified organisms in organic food

Organic food must not contain additives such as saturated fats, artificial sweeteners and colouring, many of which are connected to the risk from developing asthma (Woessner et al., 1999), migraine headaches (Kelman, 2007), growth and development disorder and children hyperactivity (Kraemer et al., 2022). Organic food does not contain genetically modified organisms, nor are they used in the production process.

Nutritional value of organic food

One of the largest review studies was published in 1998, comparing the nutritional characteristics of organic and conventional foods. A comparative review of data from 34 previously published studies found that organic foods contain higher amounts of vitamin C, as well as most minerals (Worthington, 1998). In another well-known review study by the same authors (Worthington study), which analyzed data collected from as many as 41 studies, nutrient values of fruits, vegetables and grains were compared. This study showed significantly higher values of vitamin C (27%), iron (21.1%), magnesium (29.3%) and phosphorus (13.6%), compared to conventionally produced food. In addition, this study concluded that organic vegetables (spinach, carrots, potatoes, cabbage, lettuce) contain significantly higher amounts of vitamin C, compared to conventional vegetables. In addition, nitrate content was 15.1% lower (Worthington, 2001). Similar results were reported by Xiaofan et al. in a recently published large study conducted in China: organic fruits and vegetables had significantly more vitamin C, anthocyanins, isoflavonoids, carotenoids, phosphorus, iron, magnesium, zinc, copper and chromium, while foods of animal origin contained significantly more polyunsaturated fatty acids. Organic products had significantly lower amounts of nitrates and heavy metals, and no pesticides were registered (Yu et al., 2018). Very similar findings come from a study published by Brandt et al. (Brandt et al., 2011). In addition to this, it is interesting to mention that a team of Swedish scientists found that plants exposed to insect attacks produce polyphenols, which are among the strongest antioxidants, as a defensive measure. If they are protected from insects by pesticides, they have no need to create these beneficial substances. Untreated organic food thus has a double quality: lower levels of pesticides and higher levels of polyphenol antioxidants (Olsson et al., 2006). Organic vegetable soups have up to six times higher salicylate values, which are extremely important in the prevention and treatment of cardiovascular diseases, arteriosclerosis and colon cancer (Baxter et al., 2001).

However, not all studies confirm higher nutritional value of organic food and its beneficial effect on human health. One review of the literature concluded that "there is no strong evidence that consumption of organic foods contributes to health through its nutritional properties" (Dangour et al., 2009). Also, many other studies found no evidence that organic food is more nutritious, but they did establish that such food is safer to eat because it contains lower amounts of harmful substances (Ditlevsen et al., 2019; Forman et al., 2012; Williams, 2002). Interestingly, organic food can contain more natural biotoxins, such as solanine in potatoes (which is supposed to protect the plant from insects and other pests in the absence of pesticides and insecticides), which can be potentially dangerous to humans (Friedman et al., 2017).

We believe that it is almost impossible to observe in isolation the impact of the nutritional composition of organic food on a person, because health is affected by other factors, such as lifestyle (alcohol use, exposure to cigarette smoke, amount of food and its caloric value, amount of physical activity, etc.), environmental factors (air, water quality), genetic factors, etc. Therefore, this very important question should be analyzed in a strictly controlled study in which the influence of the mentioned factors would be minimized.

Why does organic food cost more?

Organic dairy products, wheat, grains, meat and other products cost more primarily because they are not produced in large quantities. These are small productions, on small farms and plots, so production costs are higher per unit of food produced. Organic producers strictly adhere to regulations that require that in food production they do not use antibiotics, hormones, pesticides, preservatives and additives to increase, preserve and maintain products, so part of the product perishes during the production, storage or transportation process. In the case of dairy products, eggs and meat, the price is also affected by the prescribed number of animals per unit of land area. For

these reasons, organic products in the US cost anywhere from a few to as much as 240% more than conventional products (USDA, n.d.).

CONCLUSION

The production and sale of organic food is on the rise. There is every chance that, as in any other big business, opinions are expressed regarding this matter that are either excessively favourable or extremely unfavourable, depending on whether they are written by supporters or opponents. Contradictions reported by large scientific studies dealing with exactly the same subject of investigation speak in favor of this. This is also the reason to conduct authentic, objective research as soon as possible in Serbia, which should confirm to us that organic food has positive nutritional and health characteristics. In the diversity of information available to us, we tend to believe that the magic of organic food exists, after all.

REFERENCES

1. Alavanja, M. C., Hoppin, J. A., & Kamel, F. (2004). Health effects of chronic pesticide exposure: cancer and neurotoxicity. *Annual Review of Public Health, 25*, 155-197.
2. Ali, S., Ullah, M. I., Sajjad, A., Shakeel, Q., & Hussain, A. (2021). Environmental and health effects of pesticide residues. In A. Inamuddin, & E. Lichtfouse (Eds.), *Sustainable Agriculture Reviews 48* (pp. 311-336). Springer Nature Switzerland AG. https://doi.org/10.1007/978-3-030-54719-6_8
3. Arab, A., & Mostafalou, S. (2021). Neurotoxicity of pesticides in the context of CNS chronic diseases. *International Journal of Environmental Health Research, 32*(12), 2718-2755. <https://doi.org/10.1080/09603123.2021.1987396>
4. Baxter, G. J., Graham, A. B., Lawrence, J. R., Wiles, D., & Paterson, J. R. (2001). Salicylic acid in soups prepared from organically and non-organically grown vegetables. *Eur J Nutr, 40*(6), 289-292.
5. Brandt, K., Leifert, C., Sanderson, R., & Seal, C. J. (2011). Agroecosystem management and nutritional quality of plant foods: The case of organic fruits and vegetables. *Critical Reviews in Plant Sciences, 30*(1-2), 177-197. <https://doi.org/10.1080/07352689.2011.554417>
6. Crinnion, W. J. (2010). Organic foods contain higher levels of certain nutrients, lower levels of pesticides, and may provide health benefits for the consumer. *Alternative Medicine Review, 15*(1), 4-12.
7. Dangour, A. D., Dodhia, S. K., Hayter, A., Allen, E., Lock, K., & Uauy, R. (2009). Nutritional quality of organic foods: A systematic review. *The American Journal of Clinical Nutrition, 90*(3), 680-685. <https://doi.org/10.3945/AJCN.2009.28041>
8. Danner, H., Hagerer, G., Pan, Y., & Groh, G. (2022). The news media and its audience: Agenda setting on organic food in the United States and Germany. *Journal of Cleaner Production, 354*, 131503. <https://doi.org/10.1016/j.jclepro.2022.131503>
9. De Graaf, L., Boulanger, M., Bureau, M., Bouvier, G., Meryet-Figuere, M., Tual, S., Lebailly, P., & Baldi, I. (2022). Occupational pesticide exposure, cancer and chronic neurological disorders: A systematic review of epidemiological studies in greenspace workers. *Environmental Research, 203*, 111822. <https://doi.org/10.1016/j.envres.2021.111822>
10. Ditlevsen, K., Sandøe, P., & Lassen, J. (2019). Healthy food is nutritious, but organic food is healthy because it is pure: The negotiation of healthy food choices by Danish consumers of organic food. *Food Quality and Preference, 71*, 46-53. <https://doi.org/10.1016/j.foodqual.2018.06.001>
11. Ecobichon, D. J. (1991). Toxic effects of pesticides. In M. O. Amdur, J. Doull, & C. D. Klaassen (Eds.), *Casarett and Doull's Toxicology: The Basic Science of Poisons* (pp. 565-622). Pergamon Press.
12. Engel, L. S., O'Meara, E. S., & Schwartz, S. M. (2000). Maternal occupation in agriculture and risk of limb defects in Washington State, 1980-1993. *Scandinavian Journal of Work, Environment & Health, 26*(3), 193-198.
13. Forman, J., Silverstein, J., Bhatia, J. J. S., Abrams, S. A., Corkins, M. R., De Ferranti, S. D., Golden, N. H., Paulson, J. A., Brock-Utne, A. C., Brumberg, H. L., Campbell, C. C., Lanphear, B. P., Osterhoudt, K. C., Sandel, M. T., Trasande, L., & Wright, R. O. (2012). Organic foods: Health and environmental advantages and disadvantages. *Pediatrics, 130*(5), e1406-e1415. <https://doi.org/10.1542/PEDS.2012-2579>

14. Friedman, M., Kozukue, N., Kim, H. J., Choi, S. H., & Mizuno, M. (2017). Glycoalkaloid, phenolic, and flavonoid content and antioxidative activities of conventional nonorganic and organic potato peel powders from commercial gold, red, and Russet potatoes. *Journal of Food Composition and Analysis*, 62, 69–75. <https://doi.org/10.1016/j.jfca.2017.04.019>
15. Fucic, A., Duca, R. C., Galea, K. S., Maric, T., Garcia, K., Bloom, M. S., Andersen, H. R., & Vena, J. E. (2021). Reproductive health risks associated with occupational and environmental exposure to pesticides. *International Journal of Environmental Research and Public Health*, 18(12), 65-76.
16. Hughes, M. L. (2022). *Studying the Impact of Air Pollution and Pesticide Mixtures on Respiratory Health in Fresno and Tulare Counties of Central California*. Doctoral Dissertation, Colorado State University.
17. Kamel, F., Rowland, A. S., Park, L. P., Anger, W. K., Baird, D. D., Gladen, B. C., Moreno, T., Stallone, L., & Sandler, D. P. (2003). Neurobehavioral performance and work experience in Florida farmworkers. *Environmental Health Perspectives*, 111(14), 1765–1772.
18. Keifer, M. C., & Firestone, J. (2007). Neurotoxicity of pesticides. *Journal of Agromedicine*, 12(1), 17–25. https://doi.org/10.1300/J096V12N01_03
19. Kelman, L. (2007). The triggers or precipitants of the acute migraine attack. *Cephalalgia*, 27(5), 394–402.
20. Kraemer, M. V. dos S., Fernandes, A. C., Chaddad, M. C. C., Uggioni, P. L., Rodrigues, V. M., Bernardo, G. L., & Proença, R. P. da C. (2022). Food additives in childhood: a review on consumption and health consequences. *Revista de Saúde Pública*, 56, 32. <https://doi.org/10.11606/s1518-8787.2022056004060>
21. Li, J., Lin, S., Wu, J., Pei, L., & Shang, X. (2022). Association between maternal exposure to chemical fertilizer and the risk of birth defects in a rural population in northern China: a population-based study. *International Health*. <https://doi.org/10.1093/inthealth/ihac027>
22. Matich, E. K., Laryea, J. A., Seely, K. A., Stahr, S., Su, L. J., & Hsu, P.-C. (2021). Association between pesticide exposure and colorectal cancer risk and incidence: A systematic review. *Ecotoxicology and Environmental Safety*, 219, 112327. <https://doi.org/10.1016/j.ecoenv.2021.112327>
23. McCauley, L. A., Anger, W. K., Keifer, M., Langley, R., Robson, M. G., & Rohlman, D. (2006). Studying health outcomes in farmworker populations exposed to pesticides. *Environmental Health Perspectives*, 114(6), 953–960.
24. Olsson, M. E., Andersson, C. S., Oredsson, S., Berglund, R. H., & Gustavsson, K. E. (2006). Antioxidant Levels and Inhibition of Cancer Cell Proliferation in Vitro by Extracts From Organically and Conventionally Cultivated Strawberries. *Journal of Agricultural and Food Chemistry*, 54(4), 1248–1255.
25. Panis, C., Candioto, L. Z. P., Gaboardi, S. C., Gurzenda, S., Cruz, J., Castro, M., & Lemos, B. (2022). Widespread pesticide contamination of drinking water and impact on cancer risk in Brazil. *Environment International*, 107321. <https://doi.org/10.1016/j.envint.2022.107321>
26. Paull, J. (2006). The farm as organism: the foundational idea of organic agriculture. *Elementals: Journal of Bio-Dynamics Tasmania*, 80, 14–18.
27. Paull, J., & Lyons, K. (2008). Nanotechnology: the next challenge for organics. *Journal of Organic Systems*, 3(1), 3–22.
28. Rani, L., Thapa, K., Kanojia, N., Sharma, N., Singh, S., Grewal, A. S., Srivastav, A. L., & Kaushal, J. (2021). An extensive review on the consequences of chemical pesticides on human health and environment. *Journal of Cleaner Production*, 283, 124657. <https://doi.org/10.1016/j.jclepro.2020.124657>
29. Reganold, J. (2006). Sustainability of organic, conventional, and integrated apple orchards. *Crop Management*, 5(1), 1–5.
30. Richardson, J. R., Fitsanakis, V., Westerink, R. H. S., & Kanthasamy, A. G. (2019). Neurotoxicity of pesticides. *Acta Neuropathologica*, 138(3), 343–362. <https://doi.org/10.1007/S00401-019-02033-9>
31. Sandoval-Insausti, H., Chiu, Y.-H., Lee, D. H., Wang, S., Hart, J. E., Minguez-Alarcon, L., Laden, F., Korat, A. V. A., Birmann, B., & Eliassen, A. H. (2021). Intake of fruits and vegetables by pesticide residue status in relation to cancer risk. *Environment International*, 156, 106744. <https://doi.org/10.1016/j.envint.2021.106744>
32. Schleiffer, M. (2022). Presence of pesticides in the environment, transition into organic food, and implications for quality assurance along the European organic food chain – A review. *Environmental Pollution*, 313, 120116. <https://doi.org/10.1016/j.envpol.2022.120116>
33. Schwartz, D. A., Newsum, L. A., & Heifetz, R. M. (1986). Parental occupation and birth outcome in an agricultural community. *Scandinavian Journal of Work, Environment & Health*, 12(1), 51–54.

34. Uddin, M. N., & Bari, M. L. (2019). Governmental policies and regulations including FSMA on organic farming in the United States and around the globe. In B. Debabrata & A. M. Shirley (Eds.), *Safety and Practice for Organic Food* (pp. 33–62). Elsevier. <https://doi.org/10.1016/B978-0-12-812060-6.00003-9>
35. USDA. (n.d.). *Organic Reports | Agricultural Marketing Service*. Retrieved September 22, 2022, from <https://www.ams.usda.gov/market-news/organic>
36. USDA. (2020). *Pesticide Data Program, Annual Summary 2020*. <https://www.ams.usda.gov/sites/default/files/media/2020PDPAnnualSummary.pdf>
37. Van Maele-Fabry, G., & Willems, J. L. (2003). Occupation related pesticide exposure and cancer of the prostate: a meta-analysis. *Occupational and Environmental Medicine*, 60(9), 634–642.
38. Willer, H., Trávníček, J., Meier, C., & Schlatter, B. (Eds.). (2021). *The World of Organic Agriculture 2021 - Statistics and Emerging Trends*.
39. Williams, C. M. (2002). Nutritional quality of organic food: shades of grey or shades of green? *Proceedings of the Nutrition Society*, 61(1), 19–24. <https://doi.org/10.1079/PNS2001126>
40. Woessner, K. M., Simon, R. A., & Stevenson, D. D. (1999). Monosodium glutamate sensitivity in asthma. *Journal of Allergy and Clinical Immunology*, 104(2), 305–310.
41. Worthington, V. (1998). Effect of agricultural methods on nutritional quality: a comparison of organic with conventional crops. *Alternative Therapies in Health and Medicine*, 4(1), 58–69.
42. Worthington, V. (2001). Nutritional Quality of Organic Versus Conventional Fruits, Vegetables, and Grains. *The Journal of Alternative and Complementary Medicine*, 7(2), 161–173. <https://doi.org/10.1089/107555301750164244>
43. Wu, Y., Song, J., Zhang, Q., Yan, S., Sun, X., Mei, L., Yi, W., Pan, R., Li, Y., & Jin, X. (n.d.). Association between Organophosphorus Pesticide Exposure and Depression Risk in Adults: A Cross-Sectional Study with NHANES Data. *Environmental Pollution*, 316, 120445. <https://doi.org/10.1016/j.envpol.2022.120445>
44. Yu, X., Guo, L., Jiang, G., Song, Y., & Muminov, M. A. (2018). Advances of organic products over conventional productions with respect to nutritional quality and food security. *Acta Ecologica Sinica*, 38(1), 53–60. <https://doi.org/10.1016/J.CHNAES.2018.01.009>
45. Yura, W. F., Muhammad, F. R., Mirza, F. F., Maurend, Y. L., Widyantoro, W., Farida, S. S., Aziz, Y. P., Desti, A., Edy, W., & Septy, M. (2021). Pesticide residues in food and potential risk of health problems: A systematic literature review. *IOP Conference Series: Earth and Environmental Science*, 894(1), 012025. <https://doi.org/10.1088/1755-1315/894/1/012025>.